In the Claims

 (Currently Amended) A computer-executable method, comprising: executing providing a pane element comprising an element behavior that

executing providing a pane element comprising an element behavior that defines the pane element, wherein the pane element comprises a single element that is readable from a document by a browser; based at least in part on execution of the pane-element, and wherein the executing includes invoking logic associated with the element behavior; [[,]]

parsing and initializing the logic to synchronously bind the logic to the pane element, wherein the logic specifies at least some attributes of [[a]] one or more panes, and generates and wherein the bound logic renders the pane element into a an associated hypertext markup language (HTML) element to which the element behavior is bound to generate the pane; and

<u>executing the HTML element to generate</u> the <u>one or more</u> panes having the specified attributes;

wherein the bound logic manages display attributes of the one or more panes including a position, a size, and a shape for each pane;

wherein the bound logic manages linkages between the one or more panes and one or more content resources, such that:

when only one pane exists then a changing content displayed in the pane is dynamically stored in the content resource in order to initialize subsequent additional panes with the same content;

3

4

5

6

8

9

10 11

12

13

14

16

17 18

25

when multiple panes exist the content that is common to the multiple panes is dynamically linked between the panes in order to propagate edits in the content simultaneously between the panes; and

when multiple panes each possess a link to a common content
resource, then input from the common content resource and changes to the
common content resource are simultaneously implemented in the multiple panes.

- (Currently Amended) The computer-executable method as recited in claim 1, wherein the pane element <u>includes</u> directs a reference to and execution of the associated logic.
- 3. (Currently Amended) The computer-executable method as recited in claim 1, wherein the pane element eomprises a includes at least one markup language tag.
- (Currently Amended) The computer-executable method as recited in claim 1, wherein the pane element <u>itself</u> comprises an HTML <u>element</u> tag.
 - 5-9. (Canceled)
- 10. (Currently Amended) A computer-executable method, comprising: reading providing a pane element comprising an element behavior in a web page document for producing a web page;

executing the pane element wherein the executing invokes logic

synchronously bound associated with the pane element, wherein the bound logic

specifies at least some attributes of [[a]] one or more panes; -and

wherein the executing generates [[a]] the one or more panes having the specified attributes;

wherein the bound logic manages display attributes of the one or more panes including a position, a size, and a shape for each pane;

wherein the bound logic manages a linkage between the one or more panes and one or more content resources, such that changes to content that is common between one or more panes and the one or more content resources is simultaneously updated in each of the panes and in each of the content resources.

11. (Previously Presented) The computer-executable method as recited in claim 10, wherein the web page document comprises HTML.

12-13. (Canceled)

- 14. (Currently Amended) The computer-executable method as recited in claim 10, wherein the pane element includes an associated content eapable of being displayed in the pane.
- 15. (Currently Amended) The computer-executable method as recited in claim 14, wherein the display content is one of a text, an image, a link, an interactive control, [[and]] or a user interface.

2 3

4

5

6

7 8

9

20

21

16

25

16. (Canceled)

17. (Currently Amended) The computer-executable method as recited in claim 14, wherein the pane element derives includes content attributes to determine one of a size, a dimension, a shape, a color, a format, a priority, a style, or [[and]] a font of the content to be displayed in the pane.

18. (Canceled)

- 19. (Currently Amended) The computer-executable method as recited in claim 17, wherein the bound associated logic determines the pane attributes based on the content attributes.
- 20. (Currently Amended) The computer-executable method as recited in claim 10, further comprising reading multiple pane elements in the web page document to generate multiple panes in the web page.

21-22. (Canceled)

23. (Currently Amended) The computer-executable method as recited in claim [[21]] 20, wherein a first pane adjusts a second pane depending on a characteristic or behavior of the first pane.

3 4

5

22 23 24

25

21

24. (Currently Amended) The computer-executable method as recited in claim [[21]] 20, wherein an attribute of the first pane is adjusted based on changing content in the second pane.

- 25. (Currently Amended) The computer-executable method as recited in claim [[21]] 20, wherein an attribute of content in the first pane is changed based on a change in an attribute of content in the second pane.
- 26. (Currently Amended) The computer-executable method as recited in claim 25, wherein content in the second pane is changed as the content is edited in the first pane.

27-48. (Canceled)

- 49. (Currently Amended) A computer-executable pane engine addressable via execution of a pane element for generating one or more interrelated panes in a web page, wherein the pane engine comprises a parsed and initiated element behavior bound to the pane element, comprising:
 - a pane attribute assignor;
 - a pane sizer: and
 - a pane positioner; , and
- a multipane coordinator to manage interrelations between attributes of multiple panes being concurrently displayed on a user interface;

a dynamic content linker in the multipane coordinator to dynamically link a content that is common between multiple panes, wherein edits in the content of one pane are simultaneously propagated to the other panes; and

a common resource linker for multiple panes that each possess a link
to a common content resource, wherein the common resource linker sends input
from the common content resource to the multiple panes.

wherein a pane element comprising an element behavior and included in a
web page document references the pane engine to generate a web page pane.

- 50. (Currently Amended) The <u>computer-executable</u> pane engine as recited in claim 49, further comprising default pane attributes for generating the <u>one or more interrelated panes</u> web page pane.
- 51. (Currently Amended) The <u>computer-executable</u> pane engine as recited in claim <u>49</u> [[50]], further comprising an attribute reader to obtain one of pane attributes and content attributes selected by a user.

52. (Canceled)

53. (Currently Amended) The <u>computer-executable</u> pane engine as recited in claim 49 [[52]], wherein the multipane coordinator includes a Z-order prioritizer to determine an order of web page panes in a cascaded stack of web page panes appearing on a display screen.

- 54. (Currently Amended) The computer-executable pane engine as recited in claim 49 [[52]], further comprising a focus assignor to determine which pane of multiple panes is active or on top of a cascaded stack of web page panes appearing on a display screen.
- 55. (Currently Amended) The computer-executable pane engine as recited in claim 49 [[52]], further comprising an attribute interrelation module including a pane attribute analyzer and a content attribute analyzer, wherein a pane attribute of a first pane is determined based on a pane attribute or a content attribute of a second pane.
- 56. (Currently Amended) The <u>computer-executable</u> pane engine as recited in claim 49 [[52]], further comprising a dynamic content linker to enable changes in a content of a first pane to affect display of a content in a second pane.
- 57. (Currently Amended) The <u>computer-executable</u> pane engine as recited in claim <u>49</u> [[52]], further comprising a common resource linker, wherein changes in content in the common resource are simultaneously displayed in two or more panes.

58-67. (Canceled)

68. (Currently Amended) The <u>computer-executable pane engine system</u> as recited in claim <u>49</u> [[47]], <u>further comprising wherein</u> a list of attributes

variables exist where in which an attribute value is ean be specified and implemented by the pane engine underlying pane generating logic.